

ALSO AVAILABLE IN TABLETS

**Drug Facts** (continued)

**Questions?** 1-866-255-6960 or [www.fleetabs.com](http://www.fleetabs.com)

# Fleet



# Fleet



## Suppositories laxative

## bisacodyl

# Suppositories laxative

## bisacodyl



\*Laxative Brand

- Works in minutes!
- Foil-wrapped convenience

### 4 Suppositories

#### **Drug Facts**

**Active ingredient (in each suppository)**

Bisacodyl, 10 mg.....

**Purpose**

Stimulant laxative

**Use** for relief of occasional constipation

#### **Warnings**

For rectal use only

This product may cause abdominal discomfort, faintness, rectal burning, and mild cramps.

**Ask a doctor before using any laxative if you have**

- abdominal pain, nausea, or vomiting
- already used a laxative for more than 1 week
- a sudden change in bowel habits lasting more than 2 weeks

**Stop use and ask a doctor if you have**

- rectal bleeding
  - no bowel movement after use
- These symptoms may indicate a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

Remove foil wrap. Lie on your side and insert the suppository, pointed end first, towards the navel and well up into the rectum.

Single daily dosage

adults and children 12 years and over	1 suppository
children 6 to under 12 years	1/2 suppository
children under 6 years	ask a doctor

#### **Other Information**

- this product generally produces bowel movement in 1/4 to 1 hour
  - store at temperatures not above 86°F (30°C)
  - individually sealed in foil for safety. Do not use if foil imprinted with Fleet®
- "Bisacodyl 10 mg laxative suppository" is torn or missing
- consult PHYSICIANS' DESK REFERENCE® for complete professional labeling

**Inactive ingredient** partially hydrogenated palm kernel oil

