

## Drug Facts

### Active ingredients

(in each 118 mL delivered dose) **Purpose**

Mineral oil 100%.... Lubricant laxative

### Use

- for relief of fecal impaction
- for relief of occasional constipation
- for removal of residue after barium administration

This product usually produces a bowel movement in 2 to 15 minutes.

### Warnings

#### For rectal use only

**Do not use** when abdominal pain, nausea, or vomiting are present unless directed by a doctor

#### Ask a doctor before using this product if you

- have a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

#### Stop use and ask a doctor if you have

- rectal bleeding
  - no bowel movement within 15 minutes of using this product
- These symptoms may indicate a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

Single Daily Dosage (per 24 hours).

adults and children 12 years and over	1 bottle per day
children 2 to 12 years	one-half bottle
children under 2 years	<b>DO NOT USE</b>

### Other information

- sodium-free
- for complete Professional Use, Warnings and Precautions, consult the Reference Safety Information on our website

**Questions? 1-866-255-6960 or [www.fleetlabs.com](http://www.fleetlabs.com)**

Tamper Evident: bottle sealed for safety. If bottle wrapper with Fleet® emblem is torn, damaged or missing, do not use.

### How to use this enema:

- REMOVE GREEN WRAPPER WITH FLEET® EMBLEM AND ORANGE PROTECTIVE SHIELD FROM ENEMA COMFORTIP® BEFORE INSERTING.



- With steady pressure, gently insert enema tip into rectum with a slight side-to-side movement, with tip pointing toward navel. Insertion may be easier if person receiving enema bears down, as if having a bowel movement. This helps relax the muscles around the anus.
- DO NOT FORCE THE ENEMA TIP INTO RECTUM AS THIS CAN CAUSE INJURY.
- Squeeze bottle until nearly all liquid is gone. It is not necessary to empty the bottle completely, as it contains more liquid than needed.
- Remove Comfortip® from rectum and maintain position until urge to evacuate is strong (usually 2 to 15 minutes).
- Do not retain enema solution for more than 15 minutes.
- If constipation continues after one week of use, contact your doctor.

### Positions for using this enema:




- Left-side position: Lie on left side with knee bent, and arms resting comfortably.



- Knee-chest position: Kneel, then lower head and chest forward until left side of face is resting on surface with left arm folded comfortably.

\*Based on laboratory data

**Complete enema in a  
disposable squeeze  
bottle with soft,  
pre-lubricated Comfortip®**



**Fleet® Enemas are LATEX-FREE.**

Mfg. by C.B. Fleet Company, Inc., Lynchburg, VA 24502 USA  
FLU5004101

© 2018 Trade dress is owned by  
C.B. Fleet Company, Inc. All rights reserved.  
U.S. Pat. 8849377.  
C.B. Fleet Company, Inc., Lynchburg, VA 24502 USA